CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGG    888888      11      222222          JJJJJJJJ
GG        88    88    111     22    22           JJ
GG        88    88     11           222         JJ
GG  GGGG   888888      11         222            JJ
GG    GG  88    88     11       22              JJ  JJ
GG    GG  88    88     11      22               JJ  JJ
 GGGGGG    888888   11111111  22222222           JJJJ
```

FREQUENCY

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JALJ

77/03/26. 11.38.12.

WITHOUT STATISTICS

FOR MISSING VALUES

23 MAR - NOTICE OF SPRING VACATION SCHEDULE, NEW VERSION OF
BMD P-SERIES, SEE THE BULLET.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT. VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
COUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FRPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
FREQUENCIES    INTEGER=ALL(0,99)
OPTIONS        1
STATISTICS     1,2,3,5,9,10,11
READ INPUT DATA
```

067200 CM NEEDED FOR FREQUENCIES

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

CON

CATEGORY LABEL	CODE	ABSOLUTE FREQUENCY	RELATIVE FREQUENCY (PERCENT)	ADJUSTED FREQUENCY (PERCENT)	CUMULATIVE ADJ FREQ (PERCENT)
	1	259	32.4	32.4	32.4
	2	540	67.6	67.6	100.0
	TOTAL	799	100.0	100.0	

MEAN	1.676	STD ERR	.017	MEDIAN	1.760
STD DEV	.468	RANGE	1.000	MINIMUM	1.000
MAXIMUM	2.000				
VALID CASES	799	MISSING CASES	0		

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

CONCL

CATEGORY LABEL	CODE	ABSOLUTE FREQUENCY	RELATIVE FREQUENCY (PERCENT)	ADJUSTED FREQUENCY (PERCENT)	CUMULATIVE ADJ FREQ (PERCENT)
	1	721	90.2	90.2	90.2
	2	78	9.8	9.8	100.0
	TOTAL	799	100.0	100.0	

MEAN	1.098	STD ERR	.011	MEDIAN	1.054
STD DEV	.297	RANGE	1.000	MINIMUM	1.000
MAXIMUM	2.000				
VALID CASES	799	MISSING CASES	0		

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

MR

CATEGORY LABEL	CODE	ABSOLUTE FREQUENCY	RELATIVE FREQUENCY (PERCENT)	ADJUSTED FREQUENCY (PERCENT)	CUMULATIVE ADJ FREQ (PERCENT)
	1	501	62.7	62.7	62.7
	2	298	37.3	37.3	100.0
	TOTAL	799	100.0	100.0	

MEAN	1.373	STD ERR	.017	MEDIAN	1.297
STD DEV	.484	RANGE	1.000	MINIMUM	1.000
MAXIMUM	2.000				
VALID CASES	799	MISSING CASES	0		

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

PAR

CATEGORY LABEL	CODE	ABSOLUTE FREQUENCY	RELATIVE FREQUENCY (PERCENT)	ADJUSTED FREQUENCY (PERCENT)	CUMULATIVE ADJ FREQ (PERCENT)
	1	781	97.7	97.7	97.7
	2	18	2.3	2.3	100.0
	TOTAL	799	100.0	100.0	

MEAN	1.023	STD ERR	.005	MEDIAN	1.012
STD DEV	.148	RANGE	1.000	MINIMUM	1.000
MAXIMUM	2.000				
VALID CASES	799	MISSING CASES	0		

DATA DOCUMENTS/INC., SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/26.)

PAE

CATEGORY LABEL	CODE	ABSOLUTE FREQUENCY	RELATIVE FREQUENCY (PERCENT)	ADJUSTED FREQUENCY (PERCENT)	CUMULATIVE ADJ FREQ (PERCENT)
	1	759	95.0	95.0	95.0
	2	40	5.0	5.0	100.0
	TOTAL	799	100.0	100.0	

MEAN	1.050	STD ERR	.008	MEDIAN	1.026
STD DEV	.218	RANGE	1.000	MINIMUM	1.000
MAXIMUM	2.000				
VALID CASES	799	MISSING CASES	0		

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER